



Product Code F09454 IP/DUOX PLUS CAMERA INTERFACE

 Reference
 EAN

 9454
 8424299094540

Description.

Description

- Allows the integration of IP video CCTV cameras in a DUOX PLUS installation.
- It transforms the IP video signal (RTSP standard protocol) into a DUOX PLUS signal that is connected directly to the DUOX PLUS bus.
- Generally, an interface will be required for each camera installed in the DUOX PLUS installation. However, in the particular case of 2 cameras in the same Block, up to 2 cameras can be configured in the same interface (in this case a PoE switch will be necessary).
- Each camera will be powered externally with its additional power supply (ref. 9982+ref. 9984) or through a PoE switch.
- The interface will be powered directly from the DUOX PLUS bus.
- Configurable by Wi-Fi, from the mobile through an embedded webserver.
- An entrance panel can be associated to the interface, in such a way that, while the IP camera is being viewed, the opening of said associated entrance panel can be activated.

NOTE: It is not possible to have a visualization of the IP camera and at the same time have audio from a panel.

AUTO-ON OPERATION with Interface installed.

At rest, press the "camera button" on the monitor to auto-start with different panels / cameras. Pressing sequentially, the display is:

1. Plate 0 or Chamber 0 of the block itself (one or the other).



- 2. Plate 1 or Chamber 1 of the block itself (one or the other).
- 3. Plate 0 or Chamber 0 of the General Entrance (one or the other).

Technical Details

TECHNICAL CHARACTERISTICS

supply voltage	18Vdc	24Vdc
Consumption at rest	140mA (max)	104mA (max)
active consumption	153mA (max)	110mA (max)
Operating temperature	-10°C	+55°C
Humidity (non-condensing)	5%	90%

Details.

Product measurements (height x

width x depth) mm

Weight (kg) 0.239657 Packaging measurements (height x width x depth) cm 6,5x18,1x9,6 Video Door Entry system Technologie DUOX

86 x 106 x 31

- Manuals
 - 970267_DOC_INTERFAZ_CAMARA_IP_DUOX_PLUS_REF_9 454_V12_22.pdf

Accessories



F09453 IP/DUOX PLUS INTERFACE+CAMERA KIT



F01586 SWITCH POE 4 PORTS



PERIPHERAL IP DOME CAMERA



F09984 POWER ADAPTOR FOR PERIPHERAL CCTV CAMERA



F09982 POWER SUPPLY FOR PERIPHERAL CCTV CAMERA



Actualizado el 2024-03-01 14:04

Single-line installation diagram

(image)

